

Amendments to the Claims

1-20 (Canceled).

21. (Currently Amended) A method for transmitting a compressed digital data file, comprising:

receiving information identifying a receiver terminal;

providing a stored compressed data file list to allow for selection of a compressed digital data file to be transmitted;

receiving data information identifying the selected compressed digital data file; and

transmitting the selected compressed digital data file from a first server to the receiver terminal, wherein the data for identifying the selected compressed digital data file and the selected compressed digital data file are separately transmittable, and

wherein said transmitting includes transmitting the selected compressed digital data file for storage in a second server different from the first server, if the receiver terminal is not in a state of being available for receiving the digital data file.

22. (Previously Presented) The method of claim 21, wherein the data information for identifying includes a synchronization code informing transmission of the compressed digital data file and a type, capacity and name of the data file.

23. (Currently Amended) The method of claim 21, wherein ~~in determining the transmission path~~, if the receiver terminal is in a state of being available for receiving the digital data file, the compressed digital data file is transmitted to the receiver terminal.

24. (Canceled)

25. (Currently Amended) The method of claim 21 [[24]], wherein the state of the receiver terminal being not available for receiving the digital data file means it is not possible to check the state of the receiver terminal.

26. (Currently Amended) The method of claim 21 [[24]], wherein the state of the receiver terminal being not available for receiving the digital data file means that a capacity of the digital data file exceeds an allowable memory capacity of the receiver terminal.

27. (Currently Amended) A digital data transmitting/receiving terminal, comprising:
a display ~~unit~~ for outputting visual digital data;
a compressed digital data outputting circuit ~~unit~~ for outputting compressed digital data;
a key pad for generating input digital data according to a user's input command;
a memory for storing digital data;

a wireless transmitting/receiving circuit unit for transmitting and receiving digital data; and

a controller for controlling flow of the digital data,

wherein the controller includes a data discriminating function to discriminate whether the digital data received by the wireless transmitting/receiving circuit unit includes recognition data having a file information of the compressed digital data, and wherein the recognition data and the corresponding compressed digital data are ~~capable of being~~ separately transmitted/received and wherein the recognition data includes a synchronization code informing transmission of a compressed digital data and a type, capacity and name of the data file.

28. (Canceled).

29. (Currently Amended) The terminal of claim 27 ~~[[28]]~~, wherein the controller includes a function of determining whether the recognition data file can be received based on a type or a capacity of the recognition data and transmitting corresponding information to the display ~~unit~~ or the wireless transmitting/receiving circuit unit.

30. (Currently Amended) A method of transmitting a compressed digital data file, comprising:

receiving information identifying a receiver terminal;

receiving information selecting a compressed data file from a compressed data file list; and

transmitting data for identifying the selected compressed data file to the receiver terminal, the data for identifying having a file information of the compressed digital data, wherein the data for identifying and the selected compressed data file are separately ~~transmittable~~ transmitted.

31. (Previously Presented) The method of claim 30, wherein the data for identifying includes a synchronization code informing transmission of the compressed data file and a type, capacity and name of the data file.

32. (Previously Presented) The method of claim 30, further comprising determining a transmission path based on a state of the receiver terminal.

33. (Previously Presented) The method of claim 31, wherein in determining the transmission path, if the receiver terminal is in a state of being available for receiving the data file, the compressed digital data file is transmitted to the receiver terminal.

34. (Previously Presented) The method of claim 31, wherein in determining the transmission path, if the receiver terminal is in a state of not being available for receiving the data file, the compressed digital data file is stored in a server.

35. (Previously Presented) The method of claim 34, wherein the state that the receiver terminal being not available for receiving the data file means that it is not possible to check the state of the terminal of the receiver.

36. (Previously Presented) The method of claim 34, wherein the state that the receiver terminal being not available for receiving the data file means that a capacity of the data file exceeds an allowable memory capacity of the receiver terminal.

37. (Currently Amended) A digital data terminal, comprising:
a compression digital circuit ~~unit~~ to provide compressed digital data;
a memory to store compressed digital data;
a wireless transmitting/receiving circuit ~~unit~~ to transmit and receive digital data;
and
a controller to control a flow of digital data, wherein the controller determines whether received digital data includes recognition data to recognize a compressed data file, and wherein the recognition data and the corresponding compressed data file are ~~capable of being~~

separately transmitted/received and wherein the recognition data includes a synchronization code informing transmission of a compressed digital data file and a type, capacity and name of the data file.

38. (Canceled)

39. (Previously Presented) The terminal of claim 37, wherein the controller includes a function of determining whether the recognition data can be received based on a type or a capacity of the recognition data.

40. (Previously Presented) The method of claim 21, further comprising:
transmitting the selected compressed digital data file on the determined transmission path.

41. (Currently Amended) A method for receiving and reproducing a digital data file in a device, comprising:

receiving first information for identifying the digital data file and second information for identifying a source of the digital data file, wherein the device is designated by information inputted in a transmitting device by a sender which includes the phone number of the device;

determining whether to receive the digital data file or not, wherein the determining includes ~~the steps of~~ providing the first information and the second information, providing a partial part of the digital data file to be transmitted, and reproducing the partial part of the received digital data file.

42. (Previously Presented) The method of 41, wherein the first information is a title name.

43. (Currently Amended) The method of 41, wherein the second information is a sender name ~~[[of]]~~ or phone number of the transmitting device.

44. (Previously Presented) The method of 41, wherein the partial part is being a beginning part of the digital data.

45. (Previously Presented) A method for transmitting a compressed digital data file, comprising:

providing an input window for inputting information of a receiver terminal, wherein the input information being provided to the receiver terminal with information for identifying a source of the digital data file, and

selecting at least one digital data file from a file list to be transmitted, wherein a title name of the selected data file is separately transmitted with the selected digital data file.

46. (Previously Presented) The method of claim 21, wherein the receiver terminal includes a mobile phone.

47. (Previously Presented) The method of claim 46, wherein the information identifying the receiver terminal is a telephone number of the mobile phone.

48. (Previously Presented) The method of claim 47, wherein the telephone number and the data information identifying the selected compressed digital data file are received from another mobile phone.

49. (Previously Presented) The method of claim 48, wherein the telephone number and the data information identifying the selected compressed digital data are received in combined form from the other mobile phone.

50. (New) A method for receiving a compressed digital data file, comprising:
displaying a received guide message;
displaying an identifying message of the compressed digital data file;

determining whether or not to receive the compressed digital data file by checking the identifying message;

displaying a receiving state of the compressed digital data file; and

displaying a complete message when the compressed digital data file is received.

51. (New) The method of claim 50, wherein the guide message is a short message or symbol.

52. (New) The method of claim 50, wherein the identifying data includes sender and data information.

53. (New) The method of claim 52, wherein the sender is a company.

54. (New) The method of claim 52, wherein the data information includes size information, format information and sync header information.

55. (New) The method of claim 54, wherein the format information is a compression data.

56. (New) The method of claim 50, wherein checking the identifying message comprises clicking or pushing a button of a select message in the identifying message.

57. (New) The method of claim 50, wherein the receiving state is indicative of a progress state of the receiving data or an alarm indicating when the network is disconnected.